

Nominal Diameter

5

= 20 mm<sup>2</sup>

RECTUS Series



21KB



actual size

**Technical Description**

Mini industrial coupling made of POM and PVDF with the world's most commonly used profile. Above average flow performance for liquid and gaseous media. A new type of locking system made of thermoplastic with a non-slip sleeve considerably expands the application possibilities of this small quick connect coupling.

**Chart**

You will find the following alternative versions in our current catalogue on page:

- ▶ Stainless Steel Single shut-off P. 173
- ▶ Stainless Steel Double shut-off P. 193
- ▶ Brass/Steel P. 34
- ▶ Safety P. 256
- ▶ Coded Systems P. 294

**Advantages**

Single handed operation. Two different sleeve designs. The coupling is fitted with a double shut-off valve which enables it to be connected to a single shut-off (non-valved) plug as well as a double shut-off (valved) plug. The coupling is also available as a straight-through coupling (without a valve). The 21 series eliminates the danger of mix-ups by color coding of the coupling and the respective plug. This system guarantees the elimination of mix-ups when media are connected.

**Working Pressure**

PB = 10 bar (POM, 20°C)  
PB = 8 bar (PVDF, 20°C)  
maximum static working pressure with safety factor of 4 to 1.

**Working Temperature**

-20°C up to +80°C (POM)  
-20°C up to +120 (PVDF)  
depending on the medium.

**Material****RectuPom Standard****RectuChem Standard****Coupling**

Valve Body  
Sleeve  
Valve  
Spring  
Locking System  
Seals  
Back Body

POM, black  
POM, black  
POM, black  
AISI 301  
POM, black  
NBR  
POM, black

PVDF, white  
PVDF, white  
PVDF, white  
AISI 316 Ti  
PVDF, white  
FKM  
PVDF, white

**Plug**

Plug Profile  
Valve  
Spring  
Adapter  
Seal

POM, black  
POM, black  
AISI 301  
POM, black  
NBR

PVDF, white  
PVDF, white  
1.4571  
PVDF, white  
FKM

**Couplings****RECTUS Series 21KB**

	Connection A	Hex SW	L mm	D mm	L1 mm	L2 mm	Hex1 SW1	B mm	G mm	Color Sleeve	Rectu POM Part Number	Rectu CHEM Part Number	DS
<b>Ergonomical Sleeve</b>	G 1/8 o.	17	50	25,5	7					Standard	21KB AW10 DPX	21KB AW10 FVX	■
<b>Male Thread</b>													
<b>Straight Sleeve</b>	G 1/8 o.	17	50	21	7					Standard	21KB AW10 DPXG	21KB AW10 FVXG	■ □
										blue	21KB AW10 DPXGB	21KB AW10 FVXGB	■ □
<b>Male Thread</b>										green	21KB AW10 DPXGG	21KB AW10 FVXGG	■ □
										red	21KB AW10 DPXGR	21KB AW10 FVXGR	■ □
										yellow	21KB AW10 DPXGY	21KB AW10 FVXGY	■ □

DS = Delivery Status:









■ in stock

■ □ on short call

■ □ medium term delivery

# Couplings

# RECTUS Series 21KB

	Connection A	Hex SW	L mm	D mm	L1 mm	L2 mm	Hex1 SW1	B mm	G mm	Color Sleeve	Rectu POM Part Number	Rectu CHEM Part Number	DS
<b>Ergonomical Sleeve</b>	G 1/4 o.	17	50	25,5	7					Standard	21KB AW13 DPX	21KB AW13 FVX	■ □
													
<b>Male Thread</b>													
<b>Straight Sleeve</b>	G 1/4 o.	17	50	21	7					Standard	21KB AW13 DPXG	21KB AW13 FVXG	■ □
										blue	21KB AW13 DPXGB	21KB AW13 FVXGB	■ □
										green	21KB AW13 DPXGG	21KB AW13 FVXGG	■ □
										red	21KB AW13 DPXGR	21KB AW13 FVXGR	■ □
										yellow	21KB AW13 DPXGY	21KB AW13 FVXGY	■ □
<b>Male Thread</b>													
<b>Ergonomical Sleeve</b>	G 1/8 i.	17	53	25,5	8					Standard	21KB IW10 DPX	21KB IW10 FVX	■ □
													
<b>Female Thread</b>													
<b>Straight Sleeve</b>	G 1/8 i.	17	53	21	8					Standard	21KB IW10 DPXG	21KB IW10 FVXG	■ □
										blue	21KB IW10 DPXGB	21KB IW10 FVXGB	■ □
										green	21KB IW10 DPXGG	21KB IW10 FVXGG	■ □
										red	21KB IW10 DPXGR	21KB IW10 FVXGR	■ □
										yellow	21KB IW10 DPXGY	21KB IW10 FVXGY	■ □
<b>Female Thread</b>													
<b>Ergonomical Sleeve</b>	G 1/4 i.	17	39	25,5	9					Standard	21KB IW13 DPX	21KB IW13 FVX	■ □
													
<b>Female Thread</b>													
<b>Straight Sleeve</b>	G 1/4 i.	17	39	21	8					Standard	21KB IW13 DPXG	21KB IW13 FVXG	■ □
										blue	21KB IW13 DPXGB	21KB IW13 FVXGB	■ □
										green	21KB IW13 DPXGG	21KB IW13 FVXGG	■ □
										red	21KB IW13 DPXGR	21KB IW13 FVXGR	■ □
										yellow	21KB IW13 DPXGY	21KB IW13 FVXGY	■ □
<b>Female Thread</b>													
<b>for Front Panel Installation</b>	4 x 6 mm	17	56	28	7	20,5	27	7	M 25 x 1	Standard	21KB KE06 DPX	21KB KE06 FVX	■ □
	6 x 8 mm	17	56	28	7	20,5	27	7	M 25 x 1	Standard	21KB KE08 DPX	21KB KE08 FVX	■ □
<b>Panel Mount, Plastic Hose Connection</b>													
<b>for Front Panel Installation</b>	4 x 6 mm	17	62	28	7	20,5	27	7	M 25 x 1	Standard		21KB FR06 FVX	■ □
	6 x 8 mm	17	66	28	7	20,5	27	7	M 25 x 1	Standard		21KB FR08 FVX	■ □
<b>for PVDF- and PE-Hoses</b>													

DS = Delivery Status:









■ in stock

□ on short call

□ medium term delivery

## Couplings

## RECTUS Series 21KB












	Connection A	Hex SW	L mm	D mm	L1 mm	L2 mm	Hex1 SW1	B mm	G mm	Color Sleeve	Rectu POM Part Number	Rectu CHEM Part Number	DS
<b>Ergonomical Sleeve</b>	4 x 6 mm	17	62	25,5	17				M 10 x 1	Standard		21KB KP06 FVX	■
	6 x 8 mm	17	66	25,5	17				M 12 x 1	Standard		21KB KP08 FVX	■
													
<b>for PVDF- and PE-Hoses</b>													
<b>Ergonomical Sleeve</b>	4 x 6 mm	17	56	25,5	6	7			M 10 x 1	Standard	21KB K006 DPX	21KB K006 FVX	■
													
<b>Plastic Hose Connection</b>													
<b>Straight Sleeve</b>	4 x 6 mm	17	56	21	6	7			M 10 x 1	Standard	21KB K006 DPXG	21KB K006 FVXG	■
											21KB K006 DPXGB	21KB K006 FVXGB	■
											21KB K006 DPXGG	21KB K006 FVXGG	■
											21KB K006 DPXGR	21KB K006 FVXGR	■
											21KB K006 DPXGY	21KB K006 FVXGY	■
													
<b>Plastic Hose Connection</b>													
<b>Ergonomical Sleeve</b>	6 x 8 mm	17	56	21/25,5	6	7			M 12 x 1	Standard	21KB K008 DPX	21KB K008 FVX	■
													
<b>Plastic Hose Connection</b>													
<b>Straight Sleeve</b>	6 x 8 mm	17	56	21	6	7			M 12 x 1	Standard	21KB K008 DPXG	21KB K008 FVXG	■
										blue	21KB K008 DPXGB	21KB K008 FVXGB	■
										green	21KB K008 DPXGG	21KB K008 FVXGG	■
										red	21KB K008 DPXGR	21KB K008 FVXGR	■
										yellow	21KB K008 DPXGY	21KB K008 FVXGY	■
													
<b>Plastic Hose Connection</b>													
<b>Ergonomical Sleeve</b>	4 x 6 mm	17	68	25,5	7	18	14	4	M 10 x 1	Standard	21KB KS06 DPX	21KB KS06 FVX	■
													
<b>Panel Mount, Plastic Hose Connection</b>													
<b>Straight Sleeve</b>	4 x 6 mm	17	68	21	7	18	14	4	M 10 x 1	Standard	21KB KS06 DPXG	21KB KS06 FVXG	■
										blue	21KB KS06 DPXGB	21KB KS06 FVXGB	■
										green	21KB KS06 DPXGG	21KB KS06 FVXGG	■
										red	21KB KS06 DPXGR	21KB KS06 FVXGR	■
										yellow	21KB KS06 DPXGY	21KB KS06 FVXGY	■
													
<b>Panel Mount, Plastic Hose Connection</b>													
<b>Ergonomical Sleeve</b>	6 x 8 mm	17	68	25,5	7	18	17	4	M 12 x 1	Standard	21KB KS08 DPX	21KB KS08 FVX	■
													
<b>Panel Mount, Plastic Hose Connection</b>													

DS = Delivery Status:

■ in stock

■ on short call

■ medium term delivery

	Connection A	Hex SW	L mm	D mm	L1 mm	L2 mm	Hex1 SW1	B mm	G mm	Color Sleeve	Rectu POM Part Number	Rectu CHEM Part Number	DS
<b>Straight Sleeve</b>	6 x 8 mm	17	68	21	7	18	17	4	M 12 x 1	Standard	21KB KS08 DPXG	21KB KS08 FVXG	■ □
 <p><b>Panel Mount, Plastic Hose Connection for Front Panel Installation</b></p>										blue	21KB KS08 DPXGB	21KB KS08 FVXGB	■ □
										green	21KB KS08 DPXGG	21KB KS08 FVXGG	■ □
										red	21KB KS08 DPXGR	21KB KS08 FVXGR	■ □
										yellow	21KB KS08 DPXGY	21KB KS08 FVXGY	■ □
 <p><b>Hose Barb</b></p>	4 mm	17	60	28	17	20,5	27	7	M 25 x 1	Standard	21KB TE04 DPX	21KB TE04 FVX	■ □
	6 mm	17	60	28	17	20,5	27	7	M 25 x 1	Standard	21KB TE06 DPX	21KB TE06 FVX	■ □
 <p><b>Ergonomical Sleeve</b></p>	4 mm	17	60	25,5	17					Standard	21KB TF04 DPX	21KB TF04 FVX	■ □
 <p><b>Hose Barb</b></p>	4 mm	17	60	21	17					Standard	21KB TF04 DPXG	21KB TF04 FVXG	■ □
 <p><b>Hose Barb</b></p>										blue	21KB TF04 DPXGB	21KB TF04 FVXGB	■ □
										green	21KB TF04 DPXGG	21KB TF04 FVXGG	■ □
										red	21KB TF04 DPXGR	21KB TF04 FVXGR	■ □
										yellow	21KB TF04 DPXGY	21KB TF04 FVXGY	■ □
 <p><b>Ergonomical Sleeve</b></p>	6 mm	17	60	25,5	17					Standard	21KB TF06 DPX	21KB TF06 FVX	■ □
 <p><b>Hose Barb</b></p>	6 mm	17	60	21	17					Standard	21KB TF06 DPXG	21KB TF06 FVXG	■ □
 <p><b>Hose Barb</b></p>										blue	21KB TF06 DPXGB	21KB TF06 FVXGB	■ □
										green	21KB TF06 DPXGG	21KB TF06 FVXGG	■ □
										red	21KB TF06 DPXGR	21KB TF06 FVXGR	■ □
										yellow	21KB TF06 DPXGY	21KB TF06 FVXGY	■ □
 <p><b>Ergonomical Sleeve</b></p>	4 mm	17	74	25,5	17	14	14	4	M 10 x 1	Standard	21KB TS04 DPX	21KB TS04 FVX	■ □
 <p><b>Hose Barb</b></p>	4 mm	17	74	21	17	14	14	4	M 10 x 1	Standard	21KB TS04 DPXG	21KB TS04 FVXG	■ □
 <p><b>Hose Barb</b></p>										blue	21KB TS04 DPXGB	21KB TS04 FVXGB	■ □
										green	21KB TS04 DPXGG	21KB TS04 FVXGG	■ □
										red	21KB TS04 DPXGR	21KB TS04 FVXGR	■ □
										yellow	21KB TS04 DPXGY	21KB TS04 FVXGY	■ □

DS = Delivery Status:



■ □ in stock

■ □ on short call

■ □ medium term delivery



## Couplings

## RECTUS Series 21KB

	Connection A	Hex SW	L mm	D mm	L1 mm	L2 mm	Hex1 SW1	B mm	G mm	Color Sleeve	Rectu POM Part Number	Rectu CHEM Part Number	DS
<b>Ergonomical Sleeve</b>  <b>Hose Barb</b>	6 mm	17	74	25,5	17	14	14	4	M 10 x 1	Standard	21KB TS06 DPX	21KB TS06 FVX	■
<b>Straight Sleeve</b>  <b>Hose Barb</b>	6 mm	17	74	21	17	14	17	4	M 12 x 1	Standard	21KB TS06 DPXG	21KB TS06 FVXG	■
										blue	21KB TS06 DPXGB	21KB TS06 FVXGB	■
										green	21KB TS06 DPXGG	21KB TS06 FVXGG	■
										red	21KB TS06 DPXGR	21KB TS06 FVXGR	■
										yellow	21KB TS06 DPXGY	21KB TS06 FVXGY	■

## Valved Plugs

## RECTUS Series 21SB





	Connection A	Hex SW	L mm	D mm	L1 mm	L2 mm	Hex1 SW1	B mm	G mm	Color	Rectu POM Part Number	Rectu CHEM Part Number	DS
 <b>Male Thread</b>	G 1/8 o.	17	36		7					Standard	21SB AW10 DPX	21SB AW10 FVX	■
										blue	21SB AW10 DPXB	21SB AW10 FVXB	■
										green	21SB AW10 DPXG	21SB AW10 FVXG	■
										red	21SB AW10 DPXR	21SB AW10 FVXR	■
										yellow	21SB AW10 DPXY	21SB AW10 FVXY	■
 <b>Female Thread</b>	G 1/4 o.	17	38		7					Standard	21SB AW13 DPX	21SB AW13 FVX	■
										blue	21SB AW13 DPXB	21SB AW13 FVXB	■
										green	21SB AW13 DPXG	21SB AW13 FVXG	■
										red	21SB AW13 DPXR	21SB AW13 FVXR	■
										yellow	21SB AW13 DPXY	21SB AW13 FVXY	■
	G 1/8 i.	17	39		8					Standard	21SB IW10 DPX	21SB IW10 FVX	■
										blue	21SB IW10 DPXB	21SB IW10 FVXB	■
										green	21SB IW10 DPXG	21SB IW10 FVXG	■
										red	21SB IW10 DPXR	21SB IW10 FVXR	■
										yellow	21SB IW10 DPXY	21SB IW10 FVXY	■
	G 1/4 i.	17	42		10					Standard	21SB IW13 DPX	21SB IW13 FVX	■
										blue	21SB IW13 DPXB	21SB IW13 FVXB	■
										green	21SB IW13 DPXG	21SB IW13 FVXG	■
										red	21SB IW13 DPXR	21SB IW13 FVXR	■
										yellow	21SB IW13 DPXY	21SB IW13 FVXY	■

DS = Delivery Status:

■ in stock

■ on short call

■ medium term delivery

	Connection A	Hex SW	L mm	D mm	L1 mm	L2 mm	Hex1 SW1	B mm	G mm	Color	Rectu POM Part Number	Rectu CHEM Part Number	DS	
 <p><b>Plastic Hose Connection</b></p>	4 x 6 mm	17	42		7	6				Standard	21SB K006 DPX	21SB K006 FVX	■	
										blue	21SB K006 DPXB	21SB K006 FVXB	■	
										green	21SB K006 DPXG	21SB K006 FVXG	□	
										red	21SB K006 DPXR	21SB K006 FVXR	■	
										yellow	21SB K006 DPXY	21SB K006 FVXY	■	
	6 x 8 mm	17	42		7	6					Standard	21SB K008 DPX	21SB K008 FVX	■
											blue	21SB K008 DPXB	21SB K008 FVXB	■
											green	21SB K008 DPXG	21SB K008 FVXG	□
											red	21SB K008 DPXR	21SB K008 FVXR	■
											yellow	21SB K008 DPXY	21SB K008 FVXY	■
 <p><b>Panel Mount, Plastic Hose Connection</b></p>	4 x 6 mm	17	54		7	18	14	4	M 10 x 1	Standard	21SB KS06 DPX	21SB KS06 FVX	■	
										blue	21SB KS06 DPXB	21SB KS06 FVXB	■	
										green	21SB KS06 DPXG	21SB KS06 FVXG	□	
										red	21SB KS06 DPXR	21SB KS06 FVXR	■	
										yellow	21SB KS06 DPXY	21SB KS06 FVXY	■	
	6 x 8 mm	17	54		7	18	17	4	M 12 x 1		Standard	21SB KS08 DPX	21SB KS08 FVX	■
											blue	21SB KS08 DPXB	21SB KS08 FVXB	■
											green	21SB KS08 DPXG	21SB KS08 FVXG	□
											red	21SB KS08 DPXR	21SB KS08 FVXR	■
											yellow	21SB KS08 DPXY	21SB KS08 FVXY	■
 <p><b>Panel Mount, for PVDF- and PE-Hoses</b></p>	4 x 6 mm	17	48		28					Standard		21SB KP06 FVX	■	
												21SB KP06 FVXB	■	
												21SB KP06 FVXG	□	
												21SB KP06 FVXR	■	
												21SB KP06 FVXY	■	
	6 x 8 mm	17	52		28						Standard		21SB KP08 FVX	■
													21SB KP08 FVXB	■
													21SB KP08 FVXG	□
													21SB KP08 FVXR	■
													21SB KP08 FVXY	■
 <p><b>Hose Barb</b></p>	4 mm	17	46		17					Standard	21SB TF04 DPX	21SB TF04 FVX	■	
										blue	21SB TF04 DPXB	21SB TF04 FVXB	■	
										green	21SB TF04 DPXG	21SB TF04 FVXG	□	
										red	21SB TF04 DPXR	21SB TF04 FVXR	■	
										yellow	21SB TF04 DPXY	21SB TF04 FVXY	■	
	6 mm	17	46		17						Standard	21SB TF06 DPX	21SB TF06 FVX	■
											blue	21SB TF06 DPXB	21SB TF06 FVXB	■
											green	21SB TF06 DPXG	21SB TF06 FVXG	□
											red	21SB TF06 DPXR	21SB TF06 FVXR	■
											yellow	21SB TF06 DPXY	21SB TF06 FVXY	■

DS = Delivery Status:


■ in stock

□ on short call

▣ medium term delivery



## Valved Plugs

## RECTUS Series 21SB

	Connection A	Hex SW	L mm	D mm	L1 mm	L2 mm	Hex1 SW1	B mm	G mm	Color	Rectu POM Part Number	Rectu CHEM Part Number	DS
 <p>Panel Mount, Hose Barb</p>	4 mm	17	60	7	14	14	4	M 10 x 1	Standard	21SB TS04 DPX	21SB TS04 FVX	■	
									blue	21SB TS04 DPXB	21SB TS04 FVXB	■	
									green	21SB TS04 DPXG	21SB TS04 FVXG	■	
									red	21SB TS04 DPXR	21SB TS04 FVXR	■	
									yellow	21SB TS04 DPXY	21SB TS04 FVXY	■	
	6 mm	17	60	7	14	17	4	M 12 x 1	Standard	21SB TS06 DPX	21SB TS06 FVX	■	
									blue	21SB TS06 DPXB	21SB TS06 FVXB	■	
									green	21SB TS06 DPXG	21SB TS06 FVXG	■	
									red	21SB TS06 DPXR	21SB TS06 FVXR	■	
									yellow	21SB TS06 DPXY	21SB TS06 FVXY	■	

## Plugs

## RECTUS Series 21SF





	Connection A	Hex SW	L mm	D mm	L1 mm	L2 mm	Hex1 SW1	B mm	G mm	Color	Rectu POM Part Number	Rectu CHEM Part Number	DS	
 <p>Male Thread</p>	G 1/8 o.	14	25	7						Standard	21SF AW10 DXX	21SF AW10 FXX	■	
										blue	21SF AW10 DPXB	21SF AW10 FVXB	■	
										green	21SF AW10 DPXG	21SF AW10 FVXG	■	
										red	21SF AW10 DPXR	21SF AW10 FVXR	■	
										yellow	21SF AW10 DPXY	21SF AW10 FVXY	■	
	G 1/4 o.	17	28	9							Standard	21SF AW13 DXX	21SF AW13 FXX	■
											blue	21SF AW13 DPXB	21SF AW13 FVXB	■
											green	21SF AW13 DPXG	21SF AW13 FVXG	■
											red	21SF AW13 DPXR	21SF AW13 FVXR	■
											yellow	21SF AW13 DPXY	21SF AW13 FVXY	■
 <p>Female Thread</p>	G 1/8 i.	14	24	8						Standard	21SF IW10 DXX	21SF IW10 FXX	■	
										blue	21SF IW10 DPXB	21SF IW10 FVXB	■	
										green	21SF IW10 DPXG	21SF IW10 FVXG	■	
										red	21SF IW10 DPXR	21SF IW10 FVXR	■	
										yellow	21SF IW10 DPXY	21SF IW10 FVXY	■	
	G 1/4 i.	17	25	9							Standard	21SF IW13 DXX	21SF IW13 FXX	■
											blue	21SF IW13 DPXB	21SF IW13 FXXB	■
											green	21SF IW13 DPXG	21SF IW13 FXXG	■
											red	21SF IW13 DPXR	21SF IW13 FXXR	■
											yellow	21SF IW13 DPXY	21SF IW13 FXXY	■

DS = Delivery Status:

■ in stock

■ on short call

■ medium term delivery

	Connection A	Hex SW	L mm	D mm	L1 mm	L2 mm	Hex1 SW1	B mm	G mm	Color	Rectu POM Part Number	Rectu CHEM Part Number	DS	
 <p>Plastic Hose Connection</p>	4 x 6 mm	14	32		7	6			M 10 x 1	Standard	21SF K006 DXX	21SF K006 FXX	■	
										blue	21SF K006 DPXB	21SF K006 FVXB	■	
										green	21SF K006 DPXG	21SF K006 FVXG	■	
										red	21SF K006 DPXR	21SF K006 FVXR	■	
										yellow	21SF K006 DPXY	21SF K006 FVXY	■	
	6 x 8 mm	14	32		7	6				M 12 x 1	Standard	21SF K008 DXX	21SF K008 FXX	■
											blue	21SF K008 DPXB	21SF K008 FVXB	■
											green	21SF K008 DPXG	21SF K008 FVXG	■
											red	21SF K008 DPXR	21SF K008 FVXR	■
											yellow	21SF K008 DPXY	21SF K008 FVXY	■
 <p>Panel Mount, for Plastic Hose Connection</p>	4 x 6 mm	14	44		7	18	14	4	M 10 x 1	Standard	21SF KS06 DXX	21SF KS06 FXX	■	
										blue	21SF KS06 DPXB	21SF KS06 FVXB	■	
										green	21SF KS06 DPXG	21SF KS06 FVXG	■	
										red	21SF KS06 DPXR	21SF KS06 FVXR	■	
										yellow	21SF KS06 DPXY	21SF KS06 FVXY	■	
	6 x 8 mm	14	44		7	18	14	4		M 12 x 1	Standard	21SF KS08 DXX	21SF KS08 FXX	■
											blue	21SF KS08 DPXB	21SF KS08 FVXB	■
											green	21SF KS08 DPXG	21SF KS08 FVXG	■
											red	21SF KS08 DPXR	21SF KS08 FVXR	■
											yellow	21SF KS08 DPXY	21SF KS08 FVXY	■
 <p>Panel Mount for PVDF- and PE-Hoses</p>	4 x 6 mm	17	48		28					Standard		21SF KP06 FVX	■	
										blue		21SF KP06 FVXB	■	
										green		21SF KP06 FVXG	■	
										red		21SF KP06 FVXR	■	
										yellow		21SF KP06 FVXY	■	
	6 x 8 mm	17	52		28						Standard		21SF KP08 FVX	■
											blue		21SF KP08 FVXB	■
											green		21SF KP08 FVXG	■
											red		21SF KP08 FVXR	■
											yellow		21SF KP08 FVXY	■
 <p>Hose Barb</p>	4 mm		32		17					Standard	21SF TF04 DXX	21SF TF04 FXX	■	
										blue	21SF TF04 DPXB	21SF TF04 FVXB	■	
										green	21SF TF04 DPXG	21SF TF04 FVXG	■	
										red	21SF TF04 DPXR	21SF TF04 FVXR	■	
										yellow	21SF TF04 DPXY	21SF TF04 FVXY	■	
	6 mm		32		17						Standard	21SF TF06 DXX	21SF TF06 FXX	■
											blue	21SF TF06 DPXB	21SF TF06 FVXB	■
											green	21SF TF06 DPXG	21SF TF06 FVXG	■
											red	21SF TF06 DPXR	21SF TF06 FVXR	■
											yellow	21SF TF06 DPXY	21SF TF06 FVXY	■

DS = Delivery Status:


■ in stock

□ on short call

□ medium term delivery

## Plugs

## RECTUS Series 21SF

	Connection A	Hex SW	L mm	D mm	L1 mm	L2 mm	Hex1 SW1	B mm	G mm	Color	Rectu POM Part Number	Rectu CHEM Part Number	DS
 <p>Panel Mount Hose Barb</p>	4 mm	14	50	17	14	14	4	M 10 x 1	Standard	21SF TS04 DXX	21SF TS04 FXX	■	
										blue	21SF TS04 DPXB	21SF TS04 FVXB	■
										green	21SF TS04 DPXG	21SF TS04 FVXG	■
										red	21SF TS04 DPXR	21SF TS04 FVXR	■
										yellow	21SF TS04 DPXY	21SF TS04 FVXY	■
	6 mm	14	50	17	14	17	4	M 12 x 1	Standard	21SF TS06 DXX	21SF TS06 FXX	■	
										blue	21SF TS06 DPXB	21SF TS06 FVXB	■
										green	21SF TS06 DPXG	21SF TS06 FVXG	■
										red	21SF TS06 DPXR	21SF TS06 FVXR	■
										yellow	21SF TS06 DPXY	21SF TS06 FVXY	■

DS = Delivery Status:

■ in stock

■ on short call

■ medium term delivery